

FONTAINE
FIFTH WHEEL
PRODUCT
CATALOGUE



[FONTAINEFIFTHWHEEL.COM](http://fontainefifthwheel.com)

**FIT FOR
SAFETY
RELIABILITY
VERSATILITY
EFFICIENCY
ECONOMY
THE LONG HAUL**

**SPECIALISTS
IN TRUCK
AND TRAILER
COUPLING**

We offer a broad range of tailored options to meet your exacting needs – all to keep your fleet on the road and off the repair list.

Our Range

- 04 Product overview
- 06 Product comparison

Fifth Wheels & Mounting

- 08 150SP²
- 14 3000
- 20 3000LM
- 26 170CI
- 32 260HD
- 34 3000FFH
- 37 3S Sensor Safety System

Mounting Options

- 38 150SF
- 40 170SF
- 41 Mounting Plates

Spare Parts

- 42 Fifth Wheels
- 43 3S Sensor Safety System
- 44 260HD
- 46 Mounting Bracket Kits
- 48 All Sliding Fifth Wheels
- 49 Bolt Kits

Ramps & Landing Legs

- 49 Ramps
- 50 Landing Legs



PRODUCT OVERVIEW

FIFTH WHEEL OPTIONS

150SP²
STANDARD DUTY 2" ON-ROAD
PRESSED



3000
MEDIUM DUTY 2" ON-ROAD
& LIMITED OFF-ROAD
CAST



3000LM LOW MAINTENANCE
MEDIUM DUTY 2"
ON-ROAD & LIMITED OFF-ROAD
CAST



3000FFH DUAL HEIGHT
STANDARD DUTY 2"
ON-ROAD
CAST



170CI
HEAVY DUTY 2"
ON-ROAD & OFF-ROAD
CAST




260HD
HEAVY DUTY 3.5"
ON-ROAD & OFF-ROAD
CAST



PERFORMANCE OPTIONS

MOUNTING

Sliding
150SF
& 170SF



Mounting
plate



Direct
mount




HANDLES


— Standard
— Interlock
— Extended



SAFETY SENSORS



LUBRICATION & AIR



PRODUCT COMPARISON

FIFTH WHEEL RANGE	MATERIAL	USAGE	APPLICATION	IMPOSED (U) & D-VALUE T / KN	WEIGHT KG	HEIGHT OPTIONS MM (DIN 6)	LOW MAINTENANCE	SINGLE-POINT AUTOLUBE	AIR ACTIVATION	SINGLE SENSOR SAFETY CLIP	SENSOR SYSTEMS	HANDLE OPTIONS
150SP²	Pressed	Standard duty 2" on-road	 Fit for... Flexible haulage volume carriers using two and three-axle tractors.	20T / 152kN	From 113kg	138 / 148 161 / 185 210 / 230 257	×	✓	✓	✓	✓	<ul style="list-style-type: none"> • Standard with safety clip • Extended with safety clip • Interlock
3000	Cast	Medium duty 2" on-road & limited off-road	 Fit for... Long-distance haulage with silo, tank and volume carriers using both two and three-axle tractors.	20T / 150kN	From 120kg	138 / 148 161 / 185 210 / 230 257	×	✓	✓	✓	✓	<ul style="list-style-type: none"> • Standard with safety clip • Extended with safety clip • Interlock
3000LM	Cast	Medium duty 2" on-road & limited off-road	 Fit for... Long-distance haulage with silo, tank and volume carriers using both two and three-axle tractors.	20T / 152kN	From 120kg	138 / 148 161 / 185 210 / 230 257	✓	✓	✓	✓	✓	<ul style="list-style-type: none"> • Standard with safety clip • Extended with safety clip • Interlock
3000FFH DUAL HEIGHT	Cast	Standard duty 2" on-road	 Fit for... Flexible haulage volume carriers using two and three-axle tractors.	18T / 130kN	335kg	167 / 267 317 / 367	✓	✓	✓	✓	✓	<ul style="list-style-type: none"> • Standard with safety clip • Extended with safety clip • Interlock
170CI	Cast	Heavy duty 2" on & off-road	 Fit for... HGV traffic and off-road terrain.	25T / 170kN	From 140kg	148 / 161 185 / 210 230 / 257	×	✓	✓	✓	✓	<ul style="list-style-type: none"> • Standard with safety clip • Extended with safety clip • Interlock
260HD	Cast	Heavy duty 3.5" on & off-road	 Fit for... HGV traffic and off-road terrain.	36T / 260kN	From 216kg	190	×	✓	×	×	×	<ul style="list-style-type: none"> • Standard with safety clip

MOUNTING OPTIONS	USAGE	APPLICATION	IMPOSED (U) & D-VALUE T / KN	WEIGHT KG	HEIGHT MM	AIR / MANUAL	SLIDE TRAVEL	150SP ²	3000	3000LM	3000FFH	170CI	170HD	260HD
SLIDING 150SF	Medium duty 2" on-road & limited off-road	 Fit for... Long-distance haulage with silo, tank and volume carriers using both two and three-axle tractors.	20T / 152kN	119kg	35mm	Air / Manual	Slide travel 525/750/900mm Two-position 300/525mm	✓	✓	✓	×	✓	✓	✓
SLIDING 170SF	Heavy duty 2" on & off-road	 Fit for... HGV traffic and off-road terrain.	25T / 170kN	241kg	40mm	Air / Manual	450mm	✓	✓	✓	×	✓	✓	✓
MOUNTING PLATE	Medium duty 2" on-road & limited off-road	 Fit for... Long-distance haulage with silo, tank and volume carriers using both two and three-axle tractors.	20T / 150kN	45kg / 50kg	22mm 40mm	—	—	✓	✓	✓	×	✓	✓	✓
MOUNTING PLATE 260MP	Heavy duty 2" / 3" on & off-road	 Fit for... HGV traffic and off-road terrain.	36T / 260kN	89kg	16mm	Air / Manual	450mm	✓	✓	✓	×	✓	✓	✓
DIRECT MOUNT	Standard duty 2" on-road	 Fit for... Flexible haulage volume carriers using two and three-axle tractors.	20T / 150kN	40kg	140mm 160mm 200mm 230mm	—	—	✓	✓	✓	×	✓	×	×

FIFTH WHEEL OPTIONS

150SP² STANDARD DUTY 2" ON-ROAD

PRESSED


IMPOSED 20T
D-VALUE 152KN



STANDARD HANDLE


HEIGHT MM (DIN 6)	WEIGHT KG	E11 55R-01 APPROVAL NO.	PRODUCT CODE
Pin & bushes only – no mounting brackets	95kg	E11 55R-01 7166	881000
138mm	115kg	E11 55R-01 7166	881138
148mm	113kg	E11 55R-01 7166	881148
161mm	115kg	E11 55R-01 7166	881161
185mm	117kg	E11 55R-01 7166	881185
210mm	122kg	E11 55R-01 7166	881210
230mm	130kg	E11 55R-01 7166	881230
257mm	133kg	E11 55R-01 7166	881257

STANDARD HANDLE




Reducing kingpin wear
The 150SP² does not require a wear ring

Fit for...
Flexible haulage volume carriers
using two and three-axle tractors



NOTE:
ARTICULATION 7 DEGREES
WITH 138mm HIGH FIFTH WHEEL



FIFTH WHEEL OPTIONS

150SP² STANDARD DUTY 2" ON-ROAD

PRESSED

IMPOSED 20T
D-VALUE 152KN



EXTENDED HANDLE


HEIGHT MM (DIN 6)	WEIGHT KG	E11 55R-01 APPROVAL NO.	PRODUCT CODE
Pin & bushes only – no mounting brackets	97kg	E11 55R-01 7166	885000
185mm	119kg	E11 55R-01 7166	885185
210mm	124kg	E11 55R-01 7166	885210
230mm	132kg	E11 55R-01 7166	885230
257mm	135kg	E11 55R-01 7166	885257

EXTENDED HANDLE




Reducing kingpin wear
The 150SP² does not require a wear ring

Fit for...
Flexible haulage volume carriers
using two and three-axle tractors



NOTE:
ARTICULATION 7 DEGREES
WITH 138mm HIGH FIFTH WHEEL



FIFTH WHEEL OPTIONS

150SP² STANDARD DUTY 2" ON-ROAD

PRESSED

IMPOSED 20T
D-VALUE 152KN



INTERLOCK HANDLE

HEIGHT MM (DIN 6)	WEIGHT KG	E11 55R-01 APPROVAL NO.	PRODUCT CODE
Pin & bushes only – no mounting brackets	96kg	E11 55R-01 7166	889000
138mm	116kg	E11 55R-01 7166	889138
148mm	114kg	E11 55R-01 7166	889148
161mm	116kg	E11 55R-01 7166	889161
185mm	118kg	E11 55R-01 7166	889185
210mm	123kg	E11 55R-01 7166	889210
230mm	131kg	E11 55R-01 7166	889230
257mm	134kg	E11 55R-01 7166	889257

INTERLOCK HANDLE




Reducing kingpin wear


The 150SP² does not require a wear ring

Fit for...

Flexible haulage volume carriers
using two and three-axle tractors



NOTE:
ARTICULATION 7 DEGREES
WITH 138mm HIGH FIFTH WHEEL



FIFTH WHEEL OPTIONS

3000 MEDIUM DUTY 2" ON-ROAD & LIMITED OFF-ROAD

CAST

IMPOSED 20T
D-VALUE 150KN






STANDARD HANDLE

HEIGHT MM (DIN 6)	WEIGHT KG	E11 55R-01 APPROVAL NO.	PRODUCT CODE
Pin & bushes only – no mounting brackets	102kg	E11 55R-01 4901	841000
138mm	122kg	E11 55R-01 4932	841138
148mm	120kg	E11 55R-01 4902	841148
161mm	122kg	E11 55R-01 4903	841161
185mm	124kg	E11 55R-01 4904	841185
210mm	129kg	E11 55R-01 4905	841210
230mm	137kg	E11 55R-01 4906	841230
257mm	140kg	E11 55R-01 4907	841257

STANDARD HANDLE



Fit for... Long-distance haulage with silo, tank and volume carriers using both two and three-axle tractors.



FIFTH WHEEL OPTIONS

3000 MEDIUM DUTY 2" ON-ROAD & LIMITED OFF-ROAD

CAST

IMPOSED 20T
D-VALUE 150KN




EXTENDED HANDLE

HEIGHT MM (DIN 6)	WEIGHT KG	E11 55R-01 APPROVAL NO.	PRODUCT CODE
Pin & bushes only – no mounting brackets	104kg	E11 55R-01 4901	845000
185mm	126kg	E11 55R-01 4904	845185
210mm	131kg	E11 55R-01 4905	845210
230mm	139kg	E11 55R-01 4906	845230
257mm	142kg	E11 55R-01 4907	845257


EXTENDED HANDLE



Fit for... Long-distance haulage with silo, tank and volume carriers using both two and three-axle tractors.



NOTE:
ARTICULATION 7 DEGREES
WITH 138mm HIGH FIFTH WHEEL



FIFTH WHEEL OPTIONS

3000 MEDIUM DUTY 2" ON-ROAD & LIMITED OFF-ROAD

CAST

IMPOSED 20T
D-VALUE 150KN





INTERLOCK HANDLE

HEIGHT MM (DIN 6)	WEIGHT KG	E11 55R-01 APPROVAL NO.	PRODUCT CODE
Pin & bushes only – no mounting brackets	103kg	E11 55R-01 4901	849000
138mm	123kg	E11 55R-01 4932	849138
148mm	121kg	E11 55R-01 4902	849148
161mm	123kg	E11 55R-01 4903	849161
185mm	125kg	E11 55R-01 4904	849185
210mm	130kg	E11 55R-01 4905	849210
230mm	138kg	E11 55R-01 4906	849230
257mm	141kg	E11 55R-01 4907	849257

INTERLOCK HANDLE



Fit for... Long-distance haulage with silo, tank and volume carriers using both two and three-axle tractors.



FIFTH WHEEL OPTIONS

3000LM LOW MAINTENANCE MEDIUM DUTY 2" ON-ROAD & LIMITED OFF-ROAD

CAST

IMPOSED 20T
D-VALUE 152KN





STANDARD HANDLE


HEIGHT MM (DIN 6)	WEIGHT KG	E11 55R-01 APPROVAL NO.	PRODUCT CODE
Pin & bushes only – no mounting brackets	102kg	E11 55R-01 5557	901000
138mm	122kg	E11 55R-01 5557	901138
148mm	120kg	E11 55R-01 5557	901148
161mm	122kg	E11 55R-01 5557	901161
185mm	124kg	E11 55R-01 5557	901185
210mm	129kg	E11 55R-01 5557	901210
230mm	137kg	E11 55R-01 5557	901230
257mm	140kg	E11 55R-01 5557	901257
Single Point King Pin Lubrication Kit 125ml			59016109

STANDARD HANDLE

Fit for... Long-distance haulage with silo, tank and volume carriers using both two and three-axle tractors.



NOTE:
ARTICULATION 7 DEGREES
WITH 138mm HIGH FIFTH WHEEL



FIFTH WHEEL OPTIONS

3000LM LOW MAINTENANCE MEDIUM DUTY 2" ON-ROAD & LIMITED OFF-ROAD

CAST

IMPOSED 20T
D-VALUE 152KN




EXTENDED HANDLE


HEIGHT MM (DIN 6)	WEIGHT KG	E11 55R-01 APPROVAL NO.	PRODUCT CODE
Pin & bushes only – no mounting brackets	104kg	E11 55R-01 5557	905000
185mm	126kg	E11 55R-01 5557	905185
210mm	131kg	E11 55R-01 5557	905210
230mm	139kg	E11 55R-01 5557	905230
257mm	142kg	E11 55R-01 5557	905257
Single Point King Pin Lubrication Kit 125ml			59016109

EXTENDED HANDLE

Fit for... Long-distance haulage with silo, tank and volume carriers using both two and three-axle tractors.



NOTE:
ARTICULATION 7 DEGREES
WITH 138mm HIGH FIFTH WHEEL



FIFTH WHEEL OPTIONS

3000LM LOW MAINTENANCE MEDIUM DUTY 2" ON-ROAD & LIMITED OFF-ROAD

CAST

IMPOSED 20T
D-VALUE 152KN




INTERLOCK HANDLE


HEIGHT MM (DIN 6)	WEIGHT KG	E11 55R-01 APPROVAL NO.	PRODUCT CODE
Pin & bushes only – no mounting brackets	103kg	E11 55R-01 5557	909000
138mm	123kg	E11 55R-01 5557	909138
148mm	121kg	E11 55R-01 5557	909148
161mm	123kg	E11 55R-01 5557	909161
185mm	125kg	E11 55R-01 5557	909185
210mm	130kg	E11 55R-01 5557	909210
230mm	138kg	E11 55R-01 5557	909230
257mm	141kg	E11 55R-01 5557	909257
Single Point King Pin Lubrication Kit 125ml			59016109

INTERLOCK HANDLE

Fit for... Long-distance haulage with silo, tank and volume carriers using both two and three-axle tractors.



NOTE:
ARTICULATION 7 DEGREES
WITH 138mm HIGH FIFTH WHEEL



FIFTH WHEEL OPTIONS

170CI HEAVY DUTY 2" ON-ROAD & OFF-ROAD

CAST

IMPOSED 25T
D-VALUE 170KN





STANDARD HANDLE

HEIGHT MM (DIN 6)	WEIGHT KG	E11 55R-01 APPROVAL NO.	PRODUCT CODE
Pin & bushes only – no mounting brackets	120kg	E32 55R02/00 0104 00	931000
148mm	140kg	E32 55R02/00 0104 00	931148
161mm	142kg	E32 55R02/00 0104 00	931161
185mm	144kg	E32 55R02/00 0104 00	931185
210mm	149kg	E32 55R02/00 0104 00	931210
230mm	157kg	E32 55R02/00 0104 00	931230
257mm	160kg	E32 55R02/00 0104 00	931257

STANDARD HANDLE

Fit for...
HGV traffic and off-road terrain



FIFTH WHEEL OPTIONS

170CI HEAVY DUTY 2" ON-ROAD & OFF-ROAD

CAST

IMPOSED 25T
D-VALUE 170KN





EXTENDED HANDLE

HEIGHT MM (DIN 6)	WEIGHT KG	E11 55R-01 APPROVAL NO.	PRODUCT CODE
Pin & bushes only – no mounting brackets	142kg	E32 55R02/00 0104 00	935000
185mm	146kg	E32 55R02/00 0104 00	935185
210mm	151kg	E32 55R02/00 0104 00	935210
230mm	159kg	E32 55R02/00 0104 00	935230
257mm	162kg	E32 55R02/00 0104 00	935257

EXTENDED HANDLE



Fit for...
HGV traffic and off-road terrain



FIFTH WHEEL OPTIONS

170CI HEAVY DUTY 2" ON-ROAD & OFF-ROAD

CAST

IMPOSED 25T
D-VALUE 170KN





INTERLOCK HANDLE

HEIGHT MM (DIN 6)	WEIGHT KG	E11 55R-01 APPROVAL NO.	PRODUCT CODE
Pin & bushes only – no mounting brackets	141kg	E32 55R02/00 0104 00	939000
148mm	141kg	E32 55R02/00 0104 00	939148
161mm	143kg	E32 55R02/00 0104 00	939161
185mm	145kg	E32 55R02/00 0104 00	939185
210mm	150kg	E32 55R02/00 0104 00	939210
230mm	158kg	E32 55R02/00 0104 00	939230
257mm	161kg	E32 55R02/00 0104 00	939257

INTERLOCK HANDLE



Fit for...
HGV traffic and off-road terrain



FIFTH WHEEL OPTIONS

260HD HEAVY DUTY 3.5" ON-ROAD & OFF-ROAD

CAST

IMPOSED 36T
D-VALUE 260KN



STANDARD HANDLE

HEIGHT MM (DIN 6)	WEIGHT KG	E11 55R-01 APPROVAL NO.	PRODUCT CODE
190mm	216kg	Pending	911190

STANDARD HANDLE





Fit for...
HGV traffic and off-road terrain

OFTEN BOUGHT WITH...

**260MP
Mounting Plate**
Heavy duty 2" / 3"
on & off-road

See page 41
for more details





FIFTH WHEEL OPTIONS

3000FFH DUAL HEIGHT STANDARD DUTY 2" ON-ROAD

CAST

IMPOSED 18T
D-VALUE 130KN



3000FFH DUAL HEIGHT

E11 55R-01 APPROVAL NO.	MODEL	HEIGHT MM	LENGTH MM	X1/X2 MM	IMPOS- ED(U) T	DV KN
E32 55R01/07 0047 00	FFH	167mm	—	261/835	18T	130kN
E32 55R01/07 0047 00	FFH1	267mm	13mm	274/823	18T	130kN
E32 55R01/07 0047 00	FFH2	317mm	24mm	285/812	18T	130kN
E32 55R01/07 0047 00	FFH3	367mm	38mm	299/797	18T	130kN

3000FFH DUAL HEIGHT – MANUAL OPERATION

VOLVO

3000FFH – MANUAL	CODE
930mm 167–367mm	59016168
930mm 167–317mm	59016171
930mm 167–267mm	59016173

SCANIA

3000FFH – MANUAL	CODE
880mm 167–367mm	59016185
880mm 167–317mm	59016187
880mm 167–267mm	59016189

DAF

3000FFH – MANUAL	CODE
880mm 167–367mm	59016174
880mm 167–317mm	59016176
880mm 167–267mm	59016178

MAN


3000FFH – MANUAL	CODE
880mm 167–367mm	59016191
880mm 167–317mm	59016193
880mm 167–267mm	59016195

DAIMLER

3000FFH – MANUAL	CODE
950mm 167–367mm	59016149
950mm 167–317mm	59016181
950mm 167–267mm	59016183

FIFTH WHEEL

3000FFH – MANUAL	CODE
Top Plate Only (pins & bushes)	50272541



Fit for...
Flexible haulage volume
carriers using two and
three-axle tractors




FIFTH WHEEL OPTIONS

3000FFH DUAL HEIGHT STANDARD DUTY 2" ON-ROAD

CAST

IMPOSED 18T
D-VALUE 130KN



3000FFH DUAL HEIGHT – AIR OPERATION

VOLVO

3000FFH – AIR	CODE
930mm 167–367mm	59016167
930mm 167–317mm	59016170
930mm 167–267mm	59016172

SCANIA

3000FFH – AIR	CODE
880mm 167–367mm	59016184
880mm 167–317mm	59016186
880mm 167–267mm	59016188

DAF

3000FFH – AIR	CODE
880mm 167–367mm	59016148
880mm 167–317mm	59016175
880mm 167–267mm	59016177

MAN

3000FFH – AIR	CODE
880mm 167–367mm	59016190
880mm 167–317mm	59016192
880mm 167–267mm	59016194

DAIMLER


3000FFH – AIR	CODE
950mm 167–367mm	59016179
950mm 167–317mm	59016180
950mm 167–267mm	59016182

FIFTH WHEEL

3000FFH – AIR	CODE
Top Plate Only (pins & bushes)	50272491


3S SENSOR SAFETY SYSTEM

3000
3000LM



3000 – EXTENDED HANDLE OPTION ONLY


HEIGHT MM (DIN 6)	DATE	CODE
3 Sensor Green & Amber LED – Pins & Bushes	2021 onwards	8450000G
3 Sensor Green & Amber LED – 230mm	2021 onwards	8452300G



MOUNTING OPTIONS

SLIDING 150SF

525MM TRAVEL
MANUAL & AIR OPTIONS



DAF	
150SF SLIDER BASE	CODE
Low handle (up to 185mm FW height)	310880025034
Medium handle (210mm FW height)	310880025035
High handle (230mm & above FW height)	310880025036

MAN	
150SF SLIDER BASE	CODE
Medium handle (210mm FW height)	310880101035
High handle (230mm & above FW height)	310880101036

DAIMLER	
150SF SLIDER BASE	CODE
Low handle (up to 185mm FW height) 950mm centres	310950050034
High handle (230mm & above FW height) 950mm centres	310950050037
Low handle (up to 185mm FW height) 950mm centres – TAG Axle	310950050084
Medium handle (210mm FW height) 950mm centres – TAG Axle	310950050085

IVECO	
150SF SLIDER BASE	CODE
Medium handle (210mm & above FW)	310860045035
High handle (230mm & above FW)	310860045036

SCANIA 4X2	
150SF SLIDER BASE	CODE
Medium handle (210mm & above FW)	310880100035
High handle (230mm & above FW height)	310880100036

SCANIA 6X2	
150SF SLIDER BASE	CODE
Low handle (up to 185mm FW height)	310880100074
Medium handle (210mm FW height)	310880100075
High handle (230mm & above FW height)	310880100076

VOLVO / RENAULT 4MM L-PROFILE	
150SF SLIDER BASE	CODE
Low handle (up to 185mm FW height)	310930050034
Medium handle (210mm FW height)	310930050035
High handle (230mm & above FW height)	310930050036


VOLVO / RENAULT 50MM L-PROFILE	
150SF SLIDER BASE	CODE
Low handle (up to 185mm FW height)	310930050083
Medium handle (210mm FW height)	310930050084

OPTIONS	
DESCRIPTION	CODE
Supplement for Air Operation	Replace first two digits with 33
Supplement for 750mm Travel Rails	Replace first two digits with 32 for manual and 34 for air

MOUNTING OPTIONS

SLIDING 170SF

450MM TRAVEL
MANUAL OPTION



DAF	
170SF SLIDER BASE	CODE
880mm centres	360880025035

DAIMLER	
170SF SLIDER BASE	CODE
950mm centres TAG Axle	360950050085


IVECO	
170SF SLIDER BASE	CODE
860mm centres	360860045035

MAN	
170SF SLIDER BASE	CODE
880mm centres	360880101035

VOLVO/RENAULT	
170SF SLIDER BASE	CODE
930mm centres	360930050084

SCANIA	
170SF SLIDER BASE	CODE
880mm centres	360880100075

OPTIONS	
DESCRIPTION	CODE
Supplement for Air Operation	Replace first two digits with 37



MOUNTING PLATES



DAF	
MOUNTING PLATE	CODE
16mm	56016370
40mm	56088002544040

FORD	
MOUNTING PLATE	CODE
16mm	56016371

DAIMLER	
MOUNTING PLATE	CODE
16mm	56016567
40mm (950mm hole centres)	59015695

IVECO	
MOUNTING PLATE	CODE
16mm	56016568

MAN	
MOUNTING PLATE	CODE
16mm	56016569

SCANIA	
MOUNTING PLATE	CODE
16mm	56016566
40mm	56012414
22mm	56012415

VOLVO / RENAULT	
MOUNTING PLATE	CODE
16mm	56016565

BLANK – DIN 6 HOLES ONLY	
MOUNTING PLATE	CODE
16mm 1050mm x 710mm	56016570
22mm 960mm x 655mm	56016205
40mm 960mm x 655mm	56016206
22mm 1050mm x 655mm	56016207
40mm 1050mm x 655mm	56016208

SPARE PARTS

FIFTH WHEELS

150SP² / 3000 / 3000LM / 170CI



FIFTH WHEEL SPARE PARTS

SPARE PART DESCRIPTION	PRODUCT CODE
Repair Kit 150SP / 150SP2 / 3000 / 3000LM / 163CI / 170CI	59013196
Repair Kit 150SP / 150SP2	59013687
Release Handle Interlock	59013441
Release Handle Kit Extended	59014458
Adjuster Stud 150SP / 150SP2	59013390
Wear Pad Kit 3000LM	59014846
Arch Liner Kit 3000 / 3000LM	59015059
Spring Kit 150SP / 150SP2 / 3000 / 3000LM / 163CI / 170CI	59015067
Wear Ring Kit 3000 / 3000LM / 163CI / 170CI	59015237
Adjuster Stud 3000 / 3000LM / 163CI / 170CI	59015256
Release Handle 150SP / 150SP2 / 3000 / 3000LM / 163CI / 170CI	59015102
Lever Assembly 150SP / 150SP2 / 3000 / 3000LM / 163CI / 170CI	59015257
Repair Kit 3000 / 3000LM / 163CI / 170CI	59013581
Single Point Lubrication Kit 150SP2 / 3000 / 3000LM / 163CI / 170CI	59016109
Single Point Lubrication Cartridge 125ml	59016110

SPARE PARTS

3S SENSOR SAFETY SYSTEM

3000
3000LM



3000 – EXTENDED HANDLE OPTION ONLY


HEIGHT MM (DIN 6)	CODE
Controller	59016261
Safety Clip Sensor	59016262
Handle Sensor	59016263
Kingpin Sensor	59016264
Extended Handle	59014434
Extended Handle Bracket 3S	59016272
Safety Clip and Chain	59004114
Bracket M18 Kingpin Sensor	59015427

260HD



260HD SPARE PARTS

SPARE PART DESCRIPTION	PRODUCT CODE
Jaw Conversion Kit 3.5" to 2" – 21 / 22 / 33	59016552
Jaw Repair Kit 260HD 3.5" – 1 / 3 / 8 / 11 / 12 / 33	59016555
Jaw Repair Kit 170HD 2" – 1 / 8 / 11 / 12 / 22 / 33	59016556
Lockbar Repair Kit – 4 / 9 / 19 / 29 / 34	59016557
Spring Kit – 11 / 12	59016558
Pins & Bushes Kit – 5 / 14 / 17 / 23	59016559
Release Handle Kit – 9 / 13 / 19 / 29 / 34	59016560
Lever Repair Kit – 6 / 7 / 24 / 25 / 28 / 32	59016561
Trigger Arm Repair Kit – 2 / 26 / 27	59016562
Wear Ring Kit 3.5" – 3 / 33	59016563
Wear Ring Kit 170HD 2" – 22 / 33	59016564



SPARE PARTS

MOUNTING BRACKET KITS

150SP²
3000
3000LM
170CI



MOUNTING BRACKET KIT SPARE PARTS

SPARE PART DESCRIPTION	PRODUCT CODE
Mounting Bracket Pair 138mm (includes bushes)	59015060
Mounting Bracket Pair 148mm (includes bushes)	59015061
Mounting Bracket Pair 161mm (includes bushes)	59015062
Mounting Bracket Pair 185mm (includes bushes)	59015063
Mounting Bracket Pair 210mm (includes bushes)	59015064
Mounting Bracket Pair 230mm (includes bushes)	59015065
Mounting Bracket Pair 257mm (includes bushes)	59015066

ALL SLIDING FIFTH WHEELS



ALL SLIDING FIFTH WHEEL SPARE PARTS

SPARE PART DESCRIPTION	PRODUCT CODE
Air Cylinder Assembly 65SF/135SF/150SF	59007459
Repair Kit (Plungers & Springs) 135SF/150SF	59013686
Release Handle Kit 135SF/150SF (handle, lever & bolts)	59015052
Handle Bracket Kit (up to 210mm FW height) 135SF/150SF	59015055
Handle Bracket Kit (> 210mm FW height) 135SF/150SF	59015056
Coil Kit 150SF (Air operated slider – no cylinder)	59013946
Switch Kit Air Operated (Push button with Flip Cover)	59015762
Release Handle Kit 150SF (High grip & no lever)	59016027
Release Handle Kit Daimler 150SF	59016032
Restrictor Bolt Kit 135SF/150SF	60015048
Spacer Bar Bolt Kit 135SF/150SF	60015050

SPARE PARTS

BOLT KITS

BOLT KIT SPARE PARTS

SPARE PART DESCRIPTION	PRODUCT CODE
Bolt Kit 6 x M16 x 50mm (Ramp)	60006592
Bolt Kit 6 x M14 x 50mm (Ramp)	60007270
Bolt Kit 16 x M14 x 50mm (Volvo/Renault Slider)	60011991
Bolt Kit 12 x M18 x 50mm (Scania Slider)	60012013
Bolt Kit 12 x M16 x 50mm (FW)	60013439
Bolt Kit 12 x M16 x 50mm Countersunk (FW To 12mm Mounting Plate)	60013950
Bolt Kit 4 x M14 x 50mm (Ramp)	60014196
Bolt Kit 12 x M20 x 50mm (Daimler Slider)	60014211
Bolt Kit 150SF (FW To Slider Universal Fitting)	60015054
Bolt Kit 8 x M20 x 50mm & 4 x M18 x 50mm (Scania Mounting Plate)	60015784
Bolt Kit 8 x M20 x 50mm (Daimler Mounting Plate)	60015829
Bolt Kit 10 x M16 x 40mm (Daimler Ramp)	60016008
Bolt Kit 2 x M14 x 70mm & 2 x M14 x 50mm (to suit Renault ramp 65015642)	60016041
Bolt Kit 3000FFH DH – M16 – DAF/Iveco/MAN	60016135
Bolt Kit 3000FFH DH – M14 – Volvo/Renault	60016201
Bolt Kit 3000FFH DH – M18 – Scania	60016202
Bolt Kit 3000FFH DH – M20 – Daimler	60016203

RAMPS & LANDING LEGS

RAMPS



RAMPS

RAMP DESCRIPTION	PRODUCT CODE
Scania Euro 6 4x2 & 6x2 (Subject To Mounting Confirmation By Customer)	65014357
Scania Euro 6 4x2 & 6x2 (Subject To Mounting Confirmation By Customer)	65014397
Scania Euro 6 4x2 & 6x2 To Suit Rear Battery Box	65015426
DAF Euro 5 FTG 75/85 CF 4x2	65014894
DAF Euro 5 FTG 75/85 XF 6x2	65015172
MAN TGS/X Euro 6 4x2 & 6x2	65015635
Renault Euro 6 6x2 (T Range)	65015642
Daimler Euro 5 4x2 3900 Wheel Base with Rear Battery Box	65015615
Daimler Actros Euro 6 4x2 (Short Rear Overhang)	65015677
Daimler Actros Euro 6 4x2 (Long Rear Overhang)	65015684
Daimler Actros Euro 6 6x2	65016007
Iveco Euro 6 6X2	65015974
Iveco Euro 6 4X2	65016055
Iveco Euro 6 6X2 (Gas Conversion spec)	65016119
Scania Euro 6 4x2 & 6x2 To Suit Rear Battery Box (Asda)	65016143

RAMPS & LANDING LEGS

LANDING LEGS

LOAD RATING

28T LIFTING CAPACITY
80T STATIC CAPACITY



EXTERNAL GEARBOX – FULLY DRILLED BACKPLATE

LANDING LEGS DESCRIPTION	PRODUCT CODE
Pair Landing Legs (80T) 880mm [R] Heavy Duty Wheels	20008839
Pair Landing Legs (80T) 873mm [R] Standard Wheels	20008883
Pair Landing Legs (80T) 880mm [S] Compensator Feet	20008884
Pair Landing Legs (80T) 800mm [S] Compensator Feet	20008885

EXTERNAL GEARBOX – STANDARD BACKPLATE

LANDING LEGS DESCRIPTION	PRODUCT CODE
Pair Landing Legs (80T) 880mm [A] Rocking Foot	20008844

INTERNAL GEARBOX – FULLY DRILLED BACKPLATE

LANDING LEGS DESCRIPTION	PRODUCT CODE
Pair Landing Legs (80T) 791mm [S] Compensator Feet	20008921
Pair Landing Legs (80T) 891mm [S] Compensator Feet	20008922
Pair Landing Legs (80T) 883mm [A] Rocking Foot	20008923
Pair Landing Legs (80T) 866mm [R] Wheel	20008924

**JUST LIKE MANY
OF OUR LONG-TERM
PARTNERSHIPS –
WE’VE BEEN AROUND
A WHILE.**

And as an integral part of the Marmon Group, we’re celebrating over 70 years of continued global success.



SALES & SUPPORT

European HQ

Fontaine Fifth Wheel
Enterprise Way
Lowton WA3 2AG
United Kingdom

General enquiries

+44 (0)1942 686 000
info@fontainefifthwheel.com
sales@fontainefifthwheel.com

UK aftermarket spares

+44 (0)1942 686 001

UK fleet sales

+44 (0)7880 791 252

European sales and spares

+49 (0)211 179660-282

Get the app

<https://play.google.com/store/apps>
<https://apps.apple.com/>

 facebook.com/fontainefifthwheeleurope

Design—tellingstories.co.uk | 08/23

FIT FOR... FINDING SPARES ONLINE



Visit...
fontainefifthwheel.com

DOWNLOAD OUR APP



Search...
Fontaine Fifth Wheel
on Google Play or Apple App Store



FIT FOR THE LONG HAUL

Specialists in truck and trailer coupling
fontainefifthwheel.com